0990300001 Old LaSalle Dump ILD 984774950 Superfund/HRS




TABLE OF CONTENTS

| <u>Section</u> | | | | | • | | | | | | | | | | | | | | | | | | | | | age |
|----------------|-------|-------|-------|------|-----|-----|-----|----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|----|----|-----|----|-----|------|
| 1 | INTRO | DUCI | CION | | • | | • | • | | | • | • | | • | | • | • | • | • | • | • | • | • | ٠ | • | 1 |
| 2 | SITE | BACK | GRO | סמט | | | | | | | | | • | | | | | | | | | | | | | |
| | 2.1 | INTE | SODA | CTIC | N. | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | •. | 3 |
| | 2.2 | SITE | E DES | SCRI | PT. | ІОИ | • | • | | • | • | • | • | • | • | • | • | • | • | • | •. | ٠ | • | • | • . | 3 |
| | 2.3 | SITE | E HIS | STOR | RY. | • | • • | • | • • | • | • | • | • | • | • | • | • | • | • | • | • | • | ٠ | • | • | 8 |
| 3 | SITE | INS | ECT | ІОИ | AC: | riv | ΊT | ΙE | s A | ND | A) | NA) | LY' | TI: | CA: | L I | RE: | SUI | LTS | S | | | | | • | |
| | 3.1 | INTE | RODU | CTIC | N. | • | - | | | | | • | | | • | • | • | | • | | • | • | • | | • | 10 |
| | 3.2 | RECO | ANNC: | ISSA | NC | ΕI | NS | PΕ | CTI | ON | • | • | • | | • | • | • | • | • | • | • | • | • | | • | ·10 |
| | 3.3 | SITE | RE | PRES | ENT | TAT | 'IV | E | ГИI | ER | VI: | EW | ٠. | • | • | • | • | ٠ | • | • | • | • | • | | • | 11 |
| | 3.4 | SOII | L/SEI | DIME | TNE | SA | MP | LI | NG. | • | • | • | • | | • | • | | • | • | • | • | | . • | | • | 12 |
| | 3.5 | GROU | MDW | ATEF | SZ | AMP | LI | NG | | • | • | • | • | • | • | • | | | | | • | • | • | | | 16 |
| | 3.6 | SURI | FACE | rAW | ER | SA | MP | LI | NG. | • | • | • | • | • | • | | | | • | • | | • | | | | 16 |
| | 3.7 | DEC | IATNO | ANIM | TIC | NC | PR | oc | EDU | $\pi \mathbf{E}$: | s. | | | | • | | | | | | | | | | • | . 16 |
| | 3.8 | ANAI | LTYL | CAL | RES | SUL | TS | • | : . | | • | | | | | | : | | | | | | | ٠. | | 17 |
| | 3.9 | | SAM | PLES | | • | • | • | | • | • | ٠ | • | • | ٠ | • | • | • | • | • | • | • | • | • | • | 21 |
| 4 | IDEN | rific | CATIO | ои с | F | sou | RC | ES | | | | | | | | | | | | | | | | | • | |
| | 4.1 | INTE | RODU | CTIC | N | | | | | | | | | | | | | | | | | | | | | 23 |
| | 4.2 | LANI |)FIL | L. | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ÷ | 23 |
| | | | | | | | | | | | | | | | | | | | | | | | | | - | |
| 5 | MIGR | MOITA | I PA | THWA | YS | | | | | | | | | | | | | | | | | | | | | |
| | 5.1 | | RODU | CTIC | N | • | • | • | | • | • | • | • | ٠ | • | • | • | ٠ | • | • | • | • | • | | • | 25 |
| | 5.2 | GROU | MDM | ATER | P P | HTA | WA | Y | | | • | • | • | | • | • | • | • | • | | • | • | • | | • | 25 |
| | 5.3 | | FACE | NAT | ER | PA | TH | WA | Υ. | • | • | • | • | • | • | • | • | | • | | • | • | • | | • | 27 |
| | 5.4 | | | | | | | | | | | | | | | | | | | | | | | | | 29 |
| | 5.5 | SOII | L EX | POSU | JRE | PA | TH | WA | Υ. | • | • | • | • | • | • | • | • | • | • | • | • | .• | • | • | • | 30 |
| 6 | BIBL | IOGRA | APHY | • | | | | | | | | • | • | • | | • | | | | | • | | • | | • | 32 |

| Appendix | | <u>Page</u> |
|----------|--|-------------|
| A | SITE 4-MILE RADIUS MAP | A-1 |
| В | SURFACE WATER ROUTE MAP | B-1 |
| С | U.S. EPA FORM 2070-13 | C-1 |
| D | TARGET COMPOUND LIST | D-1 |
| E | IEPA SITE PHOTOGRAPHS | E-1 |
| F | ANALYTICAL RESULTS FROM IEPA COLLECTED SAMPLES | F-1 |

.

.

.

LIST OF FIGURES

| <u>Figure</u> | | <u>Page</u> |
|---------------|------------------------------------|-------------|
| 2-1 | STATE OF ILLINOIS LOCATION MAP | 4 |
| 2-2 | SITE LOCATION MAP | 5 |
| 2-3 | 1988 AERIAL PHOTOGRAPH | 6 |
| 2-4 | 1958 AERIAL PHOTOGRAPH | 7 |
| 3-1 | SAMPLING LOCATION MAP | 13 |
| 3-2 | SAMPLING LOCATION MAP (BACKGROUND) | 14 |
| E-1 | Photo Location Map | E-1 |
| E-2 | Photo Location Map (background) | E-2 |

LIST OF TABLES

| <u>Table</u> | | <u>Page</u> |
|--------------|--|-------------------|
| 3-1 | SOIL/SEDIMENT SAMPLE DESCRIPTIONS | . 15 |
| 3-2 | SAMPLE SUMMARY FROM IEPA COLLECTED SAMPLES | . 19 [°] |
| 3-3 | SOIL/SEDIMENT KEY SAMPLES | . 22 |
| F-1 | SAMPLE SUMMARY FROM IEPA COLLECTED SAMPLES (see volume 2 of 2) | . Vol. 2 |

1. INTRODUCTION

On September 24, 1991, the Illinois Environmental
Protection Agency's (IEPA) Site Assessment Program was tasked
by the United States Environmental Protection Agency (U.S.
E.P.A. to conduct a CERCLA Screening Site Inspection of the
Old LaSalle Dump site located in LaSalle, Illinois.

The Old LaSalle Dump was initially placed on CERCLIS

(Comprehensive Environmental Response, Compensation and

Liability Act Information System) in June of 1989 as a result

of a request for discovery action initiated by the IEPA.

This action was taken as a result of complaints from LaSalle

residents concerning previous waste disposal practices at the

site.

The facility received its initial CERCLA evaluation in the form of a Preliminary Assessment (PA) report that was completed by Ms. Karen Petefish of the IEPA in March of 1990. In May of 1992, the IEPA's Site Assessment Program prepared and submitted to the Region V offices of the U.S. EPA a Screening Site Inspection work plan for the Old LaSalle Dump site. The sampling portion of the Screening Site Inspection was conducted on May 6, 1992 when the sampling team collected a total of ten soil and five sediment samples.

The purposes of a Screening Site Inspection have been stated by the U.S. EPA in a directive outlining Pre-Remedial program

strategies. The directive states:

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS [Hazard Ranking System] score, 2) establish priorities among sites most likely to qualify for the NPL [National Priorities List], and 3) identify the most critical data requirements for the Listing SI step. A screening SI will not have rigorous data quality objectives (DQOs). on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP [no further remedial action planned], or carried forward as an NPL listing candidate. A Listing SI will not automatically be done on these site, however. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA [Resource Conservation and Recovery Sites that are designated NFRAP or deferred to other statutes are not candidates for a Listing SI.

The Listing SI will address all the data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred by another authority will receive a Listing SI (U.S. EPA 1988).

The Region V offices of the U.S. EPA have also requested that the IEPA identify sites during the Screening Site Inspection that may require removal action to remediate an immediate human health and/or environmental threat.

2. SITE BACKGROUND


2.1 INTRODUCTION

This section includes information obtained over the course of the formal CERCLA preliminary assessment, Screening Site Inspection investigation and previous IEPA activities involving this site.


2.2 SITE DESCRIPTION

The Old LaSalle Dump is an approximately six acre inactive dump site located within the annual floodplain of the Illinois River (see Figures 2-1 and 2-2). The site is legally described as being located in the east half of the northwest quarter of Section 22, Township 33 north, Range 1 east in LaSalle County, Illinois. Surrounding the site on its north, west and south sides is Huse Lake, a backwater lake of the Illinois River. To the east of the site is route 351 and wetland areas. The city of LaSalle, situated on the bluff of the Illinois River, is one thousand feet to the north. Approximately 800 feet north of the site is the Illinois and Michigan Canal, a National Historic Landmark. A four-mile radius map of the area surrounding the Old LaSalle Dump site and a fifteen mile surface water drainage map are provided in Appendix A and Appendix B of this report.


When the Old LaSalle Dump was closed, "clean fill" including bricks, concrete slabs, wood and a wide variety of other construction-type wastes was placed over most of the site.



SITE TOPOGRAPHY OLD LASALLE DUMP



SOURCE: USGS 7.5 Minute Topographic Series, LaSalle Quadrangle, 1979



SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET



1988 AERIAL PHOTOGRAPH

FIGURE 2-3



SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET



1958 AERIAL PHOTOGRAPH

FIGURE 2-4

This action resulted in a highly permeable cap over the dump. Since the time of the placement of the fill, the dump has become fairly well vegetated with grasses and trees over most of the area of previous deposition. Corroding metal barrels, scrap metals, concrete slabs, and general refuse is scattered throughout the site with some materials protruding through the surface of the soil. In the northern section of the site are several corroded and broken capacitors either at the surface or protruding from the soil.

2.3 SITE HISTORY

According to the CERCLA Preliminary Assessment Report the Old LaSalle Dump was used as a general refuse disposal area for the city of LaSalle from the early 1930's until approximately 1966. While in operation the landfill was operated by the city of LaSalle, although they were not the owners of the land. The site property and adjacent property has been owned by the Duncan family for about one hundred years. This property is presently held in a land trust whereby about sixteen family members hold part ownership.

It is believed that during its years of operation a wide variety of residential and industrial wastes were deposited at the Old LaSalle Dump. Allegedly, LaSalle's Electric Utility Company (EUC) disposed of wastes at the site in the 1960's. According to former employees of EUC and a former city official, EUC dumped rejected capacitors containing

Polychlorinated Biphenyl (PCB) oil, cleaning solvents and contaminated barrels into the dump. According to a resident who previously trucked waste to the landfill, EUC would ship one to two truck tandem loads (10 cubic yards per tandem) of waste to the Old LaSalle Dump at least once and sometimes twice per week in the early to mid 1960's. The city of LaSalle closed the dump in about 1966 and then allowed people to deposit clean fill over the dump, resulting in a highly permeable cover or cap on the dump. Prior to its use as a dump the site was a wetland. Currently the land is undeveloped and not utilized for any specific purposes.

3. SITE INSPECTION ACTIVITIES AND ANALYTICAL RESULTS

3.1 INTRODUCTION

This section outlines procedures utilized and observations made during the CERCLA Screening Site Inspection conducted at the Old LaSalle Dump site. Specific portions of this section contain information pertaining to the reconnaissance inspection, site representative interview, and field sampling procedures. Also included in this section is information about the soil/sediment samples that were collected during the Screening Site Inspection. This is followed by a description of the analytical results and a table indicating the Key Samples and their contaminants.

The Screening Site Inspection for the Old LaSalle Dump site was conducted in accordance with the site inspection work plan which was developed and submitted to the U.S. EPA Region V offices prior to the initiation of field activities. The U.S. EPA Potential Hazardous Waste Site Inspection Report (Form 2070-13) for the Old LaSalle Dump site is located in Appendix C of this report.

3.2 RECONNAISSANCE INSPECTION

On April 8, 1992, Mr. Alan Kirwin of the IEPA conducted the initial CERCLA Screening Site Inspection Reconnaissance inspection of the Old LaSalle Dump site. The reconnaissance inspection included a visual inspection of the site to determine the locations of wastes present, the integrity of

the containment of the site, identification of potential on and off-site sampling locations and requirements, and a survey of surrounding land use. During the reconnaissance inspection, it was determined that Level D personal protection equipment could be worn during sampling activities unless air monitoring detected any concentrations over background. In the event that levels of concentrations over background were detected, the following levels of personal protection equipment were to be worn: 0-5 units - Level C 5-50 units - Level B

The reconnaissance confirmed the fact that the Old LaSalle
Dump site is located off of Route 351, south of LaSalle,
Illinois. The site is approximately six acres in size and
surrounded by Huse Lake on its north, west and south sides.
To the east of the site is Route 351 and wetland areas. The
site is fairly well vegetated with grasses and trees. Fill,
including corroding metal barrels, scrap metals, concrete
slabs, and general refuse, is scattered throughout the site
with some materials protruding through the soil surface. At
the northern end of the site are several corroded and broken
capacitors either at the surface or protruding from the soil.


3.3 SITE REPRESENTATIVE INTERVIEW

On May 6, 1992, a site representative interview was held at the law office of Mr. John Duncan, partial owner of the site. Representing the IEPA was Mr. Alan Kirwan. Mr. Duncan was present as the site representative. Sampling activities were discussed with Mr. Duncan and he declined to split samples with the IEPA. Mr. Duncan traveled to the site after the interview in order to view the north area of the site where sampling of discarded, corroded capacitors was to take place. Mr. Duncan left the site before sampling activities began.

3.4 SOIL/SEDIMENT SAMPLING

On May 6, 1992, IEPA personnel collected ten soil and five sediment samples for the purpose of determining if areas of contamination were present at the Old LaSalle Dump site and surrounding area (see Figures 3-1 and 3-2 on the following two pages for sampling locations). Table 3-1 describes each of the soil/sediment samples with their location, depth and physical appearance noted. Due to the cover of fill that includes bricks, concrete slabs, and wood, it was impossible for the field investigators to sample the soil in many areas. In addition, some soil samples could not be taken as deeply as desired. The shallow soil/sediment samples were collected with stainless steel spoons and trowels, whereas the deeper soil samples were collected with stainless steel bucket augers. The soil was transferred directly into the sample jars from the sampling device. Before the spoons, trowels or bucket augers were used at the site, each had been decontaminated at the IEPA's Warehouse. Decontamination procedures are discussed in Section 3-7 of this report.

SOIL/SEDIMENT
SAMPLE LOGATION MAP



SOURCE: Army Corps of Engineers; Stream Mile Map




TABLE 3-X1

SOIL SAMPLE DESCRIPTIONS

| Sample | Depth (inches) | Appearance | Location | | | | | |
|------------------------------|----------------|--|--|--|--|--|--|--|
| X101 Background | 1 – 5 | Brown silty loam | Hegeler Park; 50' west of NW corner of guard rail in parking lot | | | | | |
| X102 0 - 6 Sediment | | Dark brown clayey silt | Near entrance to channel that leads from Huse Lake into the Illinois River | | | | | |
| X103 Sediment | 0 – 6 | Dark brown clayey silt | 4/10 mile west of Rt.351; 900' south of I & M Canal | | | | | |
| X104 Sediment | 0 – 6 | Dark brown clayey silt | 1400'west of Rt. 351; 650' south of sludge lagoons | | | | | |
| X105 Sediment | 0 – 6 | Dark brown clayey silt | 1150' west of Rt.351; 400' south of sludge lagoons | | | | | |
| X106 Soil | 0 - 3 | Dark brown silty fill w/ capacitor remains of paper and foil | 250' west of Rt.351; 700' south of I & M Canal; 270' west of light pole on Old Rt.51; 30' south of Huse Lake | | | | | |
| X107 Soil | 0 – 3 | Same as X106 | Same location as X 106 | | | | | |
| X108 Soil | 0 – 3 | Same as X106 | 300' west of Old Rt. 51; 800' south of I & M Canal; 335' west of light pole on Old Rt. 51; 3' south of Huse Lake | | | | | |
| X109 Soil | 0 – 3 | Same as X106 | 450' west of Old Rt. 51; 800' south of I & M Canal; 475'west of light pole on Old Rt. 51; 25' south of Huse Lake | | | | | |
| X110 Soil | 0 - 8 | Dark brown silty fill material | 475' west of Old Rt. 51; 850' south of I & M Canal; 45' SW of X109 | | | | | |
| X111 Soil | 18-24 | Dark brown fill material | 450' west of Rt. 351; 1450' south of I & M Canal; 300' west of Old Rt.51; 60' north of Huse Lake | | | | | |
| X112 0 - 8 Soil | | Dark brown sandy silt | 350' west of Rt. 351; 1550' south of I & M Canal; 240' west of Old Rt. 51; 6' north of Huse Lake | | | | | |
| X113 Soil | 0 - 8 | Dark gray silty fill material | 450' west of Rt.351; 1300' south of I & M Canal | | | | | |
| X114 Soil | 12-18 | Dark brown silty fill material | 800' west of Rt. 351; 950' south of I & M Canal | | | | | |
| X115 unused background | 1 – 6 | Dark brown sand | 300' east of Rt. 351; 450 ' south of I & M Canal | | | | | |

The soil/sediment sample jars and the groundwater bottles were packaged and sealed in accordance with previously documented Pre-Remedial Program procedures. The IEPA samples were analyzed for the Target Compound List (see Appendix D) by IEPA laboratories. Photographs for the Old LaSalle Dump site inspection are provided in Appendix E of this report.

3.5 GROUNDWATER SAMPLING

No groundwater samples were collected during the May 6, 1992 Screening Site Inspection of the Old LaSalle Dump site. The reason for this is that no monitoring wells exist on or near the site and the nearest ground water well is located one-half mile to the north of the site.

3.6 SURFACE WATER SAMPLING

No surface water samples were collected during the May 6, 1992 Screening Site Inspection of the Old LaSalle Dump site. The reason for this is that sediment samples were taken to detect the contamination of surface waters.

3.7 DECONTAMINATION PROCEDURES

Standard IEPA decontamination procedures were followed prior to the collection of all samples. The procedures included the scrubbing of all equipment (spoons, pans, etc.) with a non-foaming Liquid Alconox solution, rinsing with hot tap water, rinsing with acetone, rinsing with hot tap water again

and final rinsed with distilled water. All equipment is air dried then wrapped and stored in heavy duty aluminum foil for transport to the field. Field decontamination procedures include all of the above except the hot tap water rinse.

3.8 ANALYTICAL RESULTS

This section includes a summary of the analytical results of samples collected during the Screening Site Inspection conducted at the Old LaSalle Dump site in LaSalle, Illinois. The field activities portion of the CERCLA Screening Site Inspection included the collection of ten soil and five sediment samples by the IEPA inspection team. The fifteen samples were collected to determine if any U.S. EPA Target Compound List compounds (see Appendix D) were present at the site or at potential receptors of concern. Specific compound detection limits can be found in Appendix F (the analytical section) of this report. See Figures 3-1 and 3-2 for specific sampling locations.

Despite not being able to sample as deeply in the soil as desired in some locations due to the cover of bricks, concrete slabs and other refuse, chemical analysis of the ten soil samples collected during the inspection revealed elevated concentrations of the following substances: volatiles, semi-volatiles, pesticides, metals, and common inorganic soil/sediment constituents. Sediment samples collected contained semi-volatiles, pesticides, metals and

common inorganic soil/sediment constituents. See Table 3-2 on the following two pages for a summary of the sample results. Complete laboratory analytical data for the samples are provided in Appendix F of this report.

SITE NAME: Old LaSalle Dump ILD NUMBER: 984774950

TABLE 3-2 SUMMARY

| SAMPLING POINT | X 101 | X 102 | X 103 | X 104 | X 105 | X 106 | X 107 | X 108 |
|---|-----------------|-----------------|------------------|-------------------|-------------------|---------------------|------------------------|---------------------|
| PARAMETER | background | sediment | sediment | sediment | sediment | soil | soil | soil |
| /OLATILES ug/Kg | | | | | Production of | | | |
| Methylene Chloride | | | | | | 130.0 | 250.0 D | |
| Acetone 2-Butanone (MEK) | 6.0 J | | | | | 24.0 J | | 8,0 J |
| Toluene Styrene | | | | | | | | |
| Xylene(total) | | | | | | 4.0 J | 11.0 DJ | |
| SEMIVOLATILES ug/Kg | | | | | | | | |
| Phenanthrene | | | | | | | | 280.0 J |
| Anthracene Fluoranthene | 48.0 J | | 160.0 J | 230.0 J | 170.0 J | | | |
| Pyrene | 48.0 J | | 180.0 J | 230.0 J | 200.0 J | | | |
| Benzo(a)anthracene Chrysene | | | | 150.0 J | | | | 370.0 J 430.0 J |
| bis(2-Ethylhexyl)phthalate | | | 150.0 J | | | | | |
| Benzo(b)fluoranthene Benzo(k)fluoranthene | | | | 350.0 J | 350.0 J | | | 1100.0 |
| Benzo(a)pyrene | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | | ₩ | | | | | | |
| Benzo(g,h,i)perylene | | | | | | - | | |
| PESTICIDES ug/Kg | | | | | | | | |
| delta-BHC | | | | 7.3 P | | | 8800.0 P | |
| gamma-BHC (Lindane) Heptachlor | *** | == | | | | | 7900.0 P | 5700.0 F |
| Aldrin | | | | 380,0 P | 470.0 P | | | |
| Heptachlor epoxide Endosulfan I | | | | | | 5900.0 P 15000.0 | 15000.0 P 16000.0 P | |
| Dieldrin | | | | | | 15000.0 | 16000.0 P | |
| 4,4'-DDE | 33.0 | | | | | 20000.0 P | | |
| Endrin Endosulfan II | 7.2 J 1.2 JP | 9.8 P 8.3 P | 14.0 P 2,3 JP | 60.0 PJ 11.0 P | 72.0 PJ 13.0 P | 4.3 R 7300.0 P | 4.3 R 8100.0 P | 1800.0 F |
| 4,4'-DDD | | 6.8 P | | 4.9 JP | 4.1 JP | 1900.0 P | 2500.0 P | |
| Endosulfan sulfate 4,4'-DDT | 16.0 P | 7.0 P | 4.5 JP | 13.0 P | 14.0 P | 11000.0 P | 15000.0 P | 2200.0 F |
| Methoxychlor (Mariate) | | | | | | | | 37.0 F |
| Endrin Ketone | | 8.4 P | 9,1 P | 6.7 P | 1.9 JP | 110.0 P | 150.0 P | 12.0 F |
| alpha-Chlordane gamma-Chlordane | | 2.4 JP | 9.1 F 2.3 JP | 2.9 JP | | 1200.0 P | | 4700.0 F 360.0 F |
| Toxaphene | | | | | 600.0 P | | | |
| Aroclor=1221 Aroclor=1232 | 130,0 P | | | | 92.0 JP | 29000.0 P | 34000.0 P | 29000.0 |
| Aroclor-1248 | | ***I | | 7500.0 P | 7800.0 P | | | |
| Aroclor – 1254 Aroclor – 1260 | | | | 1200.0 730.0 | 1300.0 820.0 | | | 38000.0 F |
| INORGANICS mg/Kg | | | | | | | | |
| Aluminum | 23300.0 | 19100.0 | 25600.0 | 25800.0 | 25600.0 | 27500.0 | 31600.0 | 26500.0 |
| Arsenic | 13.3 | 10.8 | 15.6 | 14.7 | 19.5 | 40.0 | 17.5 | 15.2 |
| Barium Beryllium | 163.0 0.9 | 153.0 1.0 | 212.0 1.3 | 213.0 1.3 | 216.0 1.3 | 383.0 0.6 | 597.0 0.9 | 300.0 0.9 |
| Cadmium | 7.7 | 4.9 | 4.8 | 4.0 | 4.6 | 10.6 | 10.3 | 9.3 |
| Calcium | 5120.0 29.4 | 39800.0 | 21100.0 | 24000.0 | 15300.0 | 22100.0 | 37200.0 | 20600.0 |
| Chromium Cobalt | 12.2 | 57.4 10,7 | 72.0 12.9 | 71.2 13.0 | 70.7 12.4 | 99.2 22.0 | 83.9 13.9 | 106.0 14.7 |
| Copper | 29.9 | 55.1 | 58.3 | 53.1 | 53.0 | 476.0 | 476.0 | 1310.0 |
| Iron Lead | 25700.0 44.5 | 26000.0 75.4 | 34000.0 84.4 | 33800.0 86.7 | 35500.0 217.0 | 209000.0 1021.0 | 107000.0 | 110000.0 492.0 |
| Magnesium | 3640.0 | 15300.0 | 10600.0 | 11300.0 | 8760.0 | 6800.0 | 15000.0 | 6740.0 |
| Manganese | 676.0 | 582.0 | 672.0 | 803.0 | 1000.0 | 1530.0 | 1380.0 | 1370.0 |
| Mercury Nickel | 0.0 B 23.0 | 0.4 39.2 | 0,5 52.0 | 0.4 47.3 | 0.5 44.9 | 0.8 80.5 | 0,5 79.0 | 0,4 86.5 |
| Potassium | 2090.0 | 3750.0 | 4230.0 | 4420.0 | 4120.0 | 1770.0 | 2670.0 | 2780.0 |
| Selenium | | | 1.4 | 2.0 | | 0.9 | 1.2 | 0.3 E |
| Silver Sodium | | | | | | | 469.0 | |
| | 0.4 B | | | | | ++ | | |
| Thallium | | | | | | | | |
| Vanadium Zinc | 46.1 812.0 | 37.7 487.0 | 48.0 539.0 | 48.4 569.0 | 48.7 713.0 | 34.0 2130.0 | 35.2 2500.0 | 40.9 2260.0 |

SITE NAME: Old LaSalle Dump ILD NUMBER: 984774950

TABLE 3-2

| LD NUMBER: 984774950 | TABLE 3-2 SUMMARY cont. | | | | | | | | | | | |
|--|--|-----------------------|-------------------|------------------|--|------------------|--|--|--|--|--|--|
| SAMPLING POINT | X 109 | X 110 | X111 | X 112 | X 113 | X 114 | | | | | | |
| PARAMETER | soil | soil | soil | soil | soil | soil | | | | | | |
| /OLATILES ug/Kg | | | DARK. | | | | | | | | | |
| /OLATILES ug/Kg | | | | | | | | | | | | |
| Methylene Chloride Acetone | 120.0 | 230.0 | 71.0 | | 59.0 | 120.0 | | | | | | |
| 2-Butanone (MEK) | | | | | | | | | | | | |
| Toluene Styrene | 19.0 | 17.0 J | 3.0 J | == | 6.0 J | 14,0 3.0 J | | | | | | |
| Xylene(total) | | | 4.0 J | | | 6.0 J | | | | | | |
| SEMIVOLATILES ug/Kg | Service of the servic | | | | | | | | | | | |
| Phenanthrene | 1300.0 J | 6600.0 DJ | 960.0 J | 960.0 J | 310.0 J | | | | | | | |
| Anthracene Fluoranthene | 1700.0 J | 960.0 DJ 6500.0 DJ | 1200.0 J | 1200.0 J | 500.0 | | | | | | | |
| Pyrene | 2000.0 J | 7000.0 DJ | 1200.0 J | 1200.0 J | 530.0 500.0 | | | | | | | |
| Benzo(a)anthracene | 1000.0 J | 3300.0 DJ | | | | | | | | | | |
| Chrysene | 1100.0 J | | | | | | | | | | | |
| bis(2-Ethylhexyl)phthalate Benzo(b)fluoranthene | | 2500.0 DJ | | | 280.0 J | | | | | | | |
| Benzo(k)fluoranthene | | 2800.0 DJ | | | | | | | | | | |
| Benzo(a)pyrene | | 2700.0 DJ | | | | | | | | | | |
| Indeno(1,2,3-cd)pyrene Benzo(g,h,i)perylene | | 1300.0 DJ 3000.0 | | | | | | | | | | |
| DECTICIDES//- | | | | | | | | | | | | |
| PESTICIDES ug/Kg | | | | | | | | | | | | |
| delta-BHC gamma-BHC (Lindane) | | | | | | | | | | | | |
| Heptachlor | | | | | | | | | | | | |
| Aldrin | 8400.0 P | 210.0 P | 200.0 P | 170.0 P | 210.0 P | 470.0 P | | | | | | |
| Heptachlor epoxide | | 7.5 P | | | | | | | | | | |
| Endosulfan I Dieldrin | | | | | | | | | | | | |
| 4,4'-DDE | | | 490.0 | | | | | | | | | |
| Endrin | | Cortan | 260.0 J | 4.9 R | | 390.0 P | | | | | | |
| Endosulfan II 4.4'-DDD | 490.0 P 190.0 | 57.0 P 57.0 P | 300.0 P | 9.2 P | 14.0 P | 110.0 P | | | | | | |
| Endosulfan sulfate | 53.0 P | 37.07 | 4.7 P | 3.6 JP | | 40.0 P 24.0 P | | | | | | |
| 4,4'-DDT | 770.0 P | 8.1 P | 2000.0 P | 12.0 P | 30.0 P | 150.0 P | | | | | | |
| Methoxychlor (Mariate) | | | | | | | | | | | | |
| Endrin Ketone alpha-Chlordane | | 35.0 PJN | 38.0 P 590.0 J | 8.0 PJN 3.5 J | | | | | | | | |
| gamma-Chlordane | 100.0 P | 85.0 P | 340.0 PJ | | 1.6 JP | 22.0 PJ | | | | | | |
| Toxaphene | | | 3600.0 P | | | 2200.0 P | | | | | | |
| Aroclor=1221 Aroclor=1232 | 1800.0 P | | 240.0 P | | | | | | | | | |
| Aroclor - 1232 Aroclor - 1248 | 160000.0 P | 6400.0 P | 6700.0 P | 4500.0 P | 6300.0 P | 11000.0 P | | | | | | |
| Aroclor-1254 | | 1700,0 P | 3000.0 P | 770.0 P | 1000.0 P | 4400.0 P | | | | | | |
| Aroclor-1260 | 13000.0 P | | 1500.0 | | | | | | | | | |
| INORGANICS mg/Kg | | | | | | | | | | | | |
| Aluminum | 28000.0 | 10600.0 | 12600.0 | 19200.0 | 19700.0 | 14100.0 | | | | | | |
| Arsenic | 14.4 | 18.3 | 11.2 | 13.4 | 8.2 | 14100.0 | | | | | | |
| Barium | 145.4 | 159.0 | 1220.0 | 300.0 | 194.0 | 181.0 | | | | | | |
| Beryllium Cadmium | 2.2 | 2.2 | 0.8 | 1.3 | 1.0 | 0.9 | | | | | | |
| Calcium | 24.4 18200.0 | 214.0 9410.0 | 9.2 63600.0 | 2.8 44700.0 | 29000.0 | 6.3 25900,0 | | | | | | |
| Chromium | 43.2 | 25.3 | 35.8 | 39.4 | 31.3 | 417.0 | | | | | | |
| Cobalt | 13.0 | 27.5 | 8.3 | 14.5 | 9.6 | 29.8 | | | | | | |
| Copper Iron | 69.9 54500.0 | 300.0 | 111.0 | 52.5 | 30.6 | 2230.0 | | | | | | |
| Lead | 377.0 | 67700.0 879.0 | 22200.0 878.0 | 28900.0 537.0 | 22800.0 41.9 | 200000.0 | | | | | | |
| Magnesium | 9000.0 | 2760.0 | 19000.0 | 11400.0 | 6970.0 | 6580.0 | | | | | | |
| Manganese | 339.0 | 503.0 | 541.0 | 914.0 | 531.0 | 1410.0 | | | | | | |
| Mercury Nickel | 3.1 | 2.4 | 1.0 | 0,1 B | 0.1 B | 0,2 | | | | | | |
| Potassium | 53.0 4160.0 | 47.3 2190,0 | 49.0 2710.0 | 36.3 3460.0 | 28.9 2580.0 | 330.0 1630.0 | | | | | | |
| Selenium | 458.0 B | 2.5 | | | | 0.5 | | | | | | |
| Silver | 0.7 B | | | | | | | | | | | |
| Sodium Thallium | 48.7 | 524.0 | | | | 300.0 B | | | | | | |
| Vanadium | 5560.0 | 31.9 | 26.6 | 36.8 | 37.8 | 29.7 | | | | | | |
| Zinc | | 29900.0 | 1810.0 | 999.0 | 167.0 | 2280.0 | | | | | | |
| | | | | | The process of the control of the co | | | | | | | |

3.9 KEY SAMPLES

Samples collected during the Screening Site Inspection of the Old LaSalle Dump site indicate concentrations of contaminants at levels that are significantly above background at several sampling points. Initially, two background samples were intended to be used; X101 (in Hegeler Park) and X115 (in a nearby wetland). Following the CERCLA Screening Site Inspection sampling event, it was discovered that sample X115 was taken in an area that was previously used as a dump site. Consequently, all the analytical data from site samples has been compared to background sample X101. Table 3-3 on the following page highlights the key samples analysis noted during the Old LaSalle Dump Screening Site Inspection. For a more detailed sample analysis, refer to Table 3-3 sample summary located on the previous two pages.

| | | | | 1000 | | | TABLE | 3-3 | | | | | | 1225-5 |
|---------------------------|-----------------|---|---|--------------|--------------|---------|-------------------------|------------------|------------------|-----------|---------------|--------------|---|---------------|
| | | | | | | | Key Sa | amples | 3 | 1 1 3 | | | | |
| SAMPLING POINT | X101 | X102 | X103 | X104 | X105 | X106 | X107 | X108 | X109 | X110 | X111 | X112 | X113 | X114 |
| PARAMETER | background | sediment | sediment | sediment | sediment | soil | soil | soil | soil | soil | soil | soil | soil | soil |
| | | | | Fig. 8 | | | Mark State | | | 1 PER | | | | |
| VOLATILES | | | | | | | 1 | | | | | | | Bu 1 |
| Methylene Chloride | 31 U | | 1000 | THE THE | | 130.0 | 250.0 D | | 120.0 | 230.0 | | A CONTRACTOR | THE WE | 120.0 |
| Metrylere Chloride | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| SEMIVOLATILES | | | F. W. | | | | | | | | | | | |
| Phenanthrene | 380 U | | | | | | | | 1300.0 J | 6600 DJ | | | | |
| Fluoranthene | 48.0 J | | | | | | | | | 6500.0 DJ | | | | |
| Pyrene | 48,0 J | | | | | | | | 2000.0 J | 7000.0 DJ | | | | |
| Benzo(a)anthracine | 380 U | | | | | | | | | 3300 DJ | | | | |
| Benzo(b)fluoranthene | 380 U | | | | | | | | | 2500 DJ | | | | |
| Benzo(k)fluoranthene | 380 U | | | | | | | | | 2800 DJ | | | | |
| Benzo(a)pyrene | 380 U | | | | | | | | | 2700 DJ | | | | |
| Indeno(1,2,3)pyrene | 380 U | | | | | | | | | 1300 DJ | | | | |
| Benzo(g,h,l)perylene | 380 U | <u>.</u> | | 2. | | | | | | 3000 | | | | |
| | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| PESTICIDES | | | | | | | | | | | | | | |
| delta-BHC | 1.9 U | | | 7.3 P | | | 8800 P | | | | | | | |
| gamma-BHC (Lindane) | 1.9 U | | 1 | | | | | 5700 P | | | | | | |
| Heptachlor | 1.9 U | | 1 | | | | 7900 P | | | | | | | |
| Aldrin | 1.9 U | | | 380 P | 470 P | | | | 8400 P | 210P | 200 P | 170P | 210P | 470 P |
| Heptachlor epoxide | 1,9 U | | | | | 5900 P | 15000 P | | | 7.5 P | | | | |
| Endosulfan I | 1,9 U | ******************* | | | | 15000 | 16000 | | | | | | | |
| Dieldrin | 3.8 U | | | | | 15000 | 16000 | | | | 490 | | | |
| 4,4'-DDE | 33.0 U | 000000000000000000000000000000000000000 | | | | 20000 P | | | | | 490 | | | 390 P |
| Endrin | 7.2 J | 8.3 P | | 11 P | 13P | 7300 P | 8100 P | 1800 P | 490 P | 57 P | | 9.2 P | 14P | 110P |
| Endosulfan II 4,4'-DDD | 1.2 JP 3.8 U | 8.3 P | | 111 | 137 | 1900P | 2500 P | 1000 | 190 | 57 P | 300 P | 9.21 | 171 | 40 P |
| Endosulfan sulfate | 3.8 U | | 1 | | | 15001 | 20001 | | 53 P | | 000 | | 1 | 24P |
| 4,4'-DDT | 16.0 P | | | | | 11000 p | 15000 P | 2200 P | 770 P | | 2000 P | | | 150 P |
| Endrin ketone | 3.8 U | | | 1 | | 110P | 150 P | 12 P | | 35 PJ | 38 P | | | |
| alpha-Chlordane | 1.9 U | 8.4P | 9.1 P | | | | | 4700 P | | | 590 J | | | |
| gamma-Chlordane | 1.9 U | | | | / | 1200P | | 360 P | 100 P | 85 P | 340 PJ | | | 22 PJ |
| Toxaphene | 190 U | | | | 600 P | | | | | | 3600 P | | | 2200 P |
| Arochlor-1221 | 76 U | | | | | 29000 P | 34000 P | 29000 | 1800 P | | 240P | | | |
| Arochlor-1248 | 240 U | | | 7500 P | 7800 P | | | | 160000 P | 6400 P | 6700 P | 4500 P | 6300 P | 11000 P |
| Arochlor-1254 | 150 U | | | 1200 | 1300 | | | | | 1700P | 3000 P | 770P | 1000 P | 4400 P |
| Arochlor=1260 | 38 U | ug/Kg | ug/Kg | 730 ug/Kg | 820 ug/Kg | ug/Kg | ug/Kg | 38000 P ug/Kg | 13000 P ug/Kg | ug/Kg | 1500 ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| | ug/Kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/kg | ug/ng | ughtg |
| NORGANICS | | | | | | | | | | | | | | |
| Arsenic | 13.3 | | | | | 40 | | | | | | | | |
| Barium | 163 | | | | | | 597 | | | | 1220 | | | |
| Cadmium | 7,7 | | | | | | | | 24.4 | 214 | | | | |
| Calcium | 5120 | 39800 | 21100 | 24000 | | 22100 | 37200 | 20600 | 18200 | | 63600 | 44700 | 29000 | 25900 |
| Chromium | 29.4 | | | | | 99.2 | | 106 | | | | | | 417 |
| Copper | 29.9 | | | | | 476 | 476 | 1310 | | 300 | 111 | | | 2230 |
| Iron | 25700 | | | | 217 | 209000 | 107000 | 110000 | 277 | 970 | 878 | 537 | | 200000 669 |
| Lead Magnesium | 44.5 3640 | 15300 | | 11300 | 217 | 1021 | 1042 | 492 | 377 | 879 | 19000 | 11400 | | 003 |
| Mercury | .04 B | 15500 | | 11300 | | | 13000 | 1 | 3.1 | 2.4 | 13000 | 11400 | 100000000000000000000000000000000000000 | S 2000 |
| Nickel | 23 | | 000000000000000000000000000000000000000 | | | 80.5 | 79 | 86.5 | | | | | | 330 |
| Selenium | .58 U | | | 2 | | | 100 m 100 m 100 m 100 m | | 458 B | 1 | | 1 | 1 | |
| Sodium | 91 U | | 100000000000000000000000000000000000000 | | | | 469 | | | 524 | | | | 300 B |
| Thallium | .4B | | | | | | | | 5560 | | | | | |
| Zinc | 812 | | | | | | 2500 | | | 29900 | | | | |
| | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/Kg |

4. IDENTIFICATION OF SOURCES

4.1 INTRODUCTION

In this section the author will briefly discuss the hazardous waste source which has been identified in the initial stages of the CERCLA site investigation.

Information concerning the size, volume and waste composition of the source has been derived throughout the initial site assessment reconnaissance visit and the screening site inspection sampling action. It should be pointed out, however, that the total number and nature of the sources identified below may be subject to change. The delineation of the site may change as the facility progresses through the CERCLA site assessment program and receives further investigation.

4.2 Landfill

The Old LaSalle Dump is approximately six acres in size and was used as a general refuse disposal area from the early 1930's until approximately 1966. During this time, it accepted a great variety of wastes, the contents of which are not entirely known. During the 1960's, LaSalle's Electric Utility Company allegedly disposed of rejected capacitors, cleaning solvents and contaminated barrels in the dump. The rejected capacitors that were dumped contained polychlorinated biphenyl (PCB) oil. According to a resident who used to truck waste to the landfill, EUC would have one

to two truck tandem loads (10 cubic yards per tandem) hauled to the Old LaSalle Dump at least once per week and sometimes twice per week in the early to mid-1960's. The area of this dumping was on the northern section of the site and during the site reconnaissance several capacitor remains were seen protruding from the soil in this area of the site. Soil samples X106, X107, X108 and X109 were taken near these capacitors. Analytically significant levels of numerous pesticides (including PCB's) and inorganics were detected in these samples. The presence of elevated concentrations of certain inorganics that are associated with industrial processes (such as barium, cadmium, copper, lead, nickel and zinc) suggests that the Old LaSalle Dump was utilized as a dump site for industries of the area. To help determine the extent of on-site contamination, soil samples X110, X111, X112, X113 and X114 were taken at various locations throughout the dump site. The results of these samples show that analytically significant levels of semi-volatiles, pesticides and inorganics can be found throughout the site. Pathways of concern include groundwater, surface water and soil.

5. MIGRATION PATHWAYS

5.1 INTRODUCTION

This section includes data and information that may be useful in analyzing the Old LaSalle Dump sites' impact on the four migration pathways identified in CERCLA's hazard ranking system (HRS). The migration pathways which will be analyzed in this section include groundwater, surface water, air and soil exposure.

5.2 GROUNDWATER PATHWAY

No groundwater samples were collected during the May 6, 1992 Screening Site Inspection of the Old LaSalle Dump site. The reason for this is that no monitoring wells exist on or near the site and the nearest groundwater well is located one-half mile to the north of the site.

Geological records suggest that the geology of the LaSalle region is somewhat erratic due to the presence of the LaSalle anticline. The west side of the LaSalle anticline features a depression with underlying bedrock that dips toward the west then immediately rises straight up. To the east of the anticline's fold the ground surface is step-like. Unlike the anticline's west side, this strata has a downward gradient that slopes toward the east. From the north is a downward gradient of a strike which angles south toward the Illinois basin. The older structures are exposed along the anticline's apex due to the erosion of previously deposited

formations.

The local geology of the Old LaSalle Dump area is characterized by Wisconsin glacial till overlying, and being interconnected with, the bedrock. The bedrock consists of fractured Silurian and Ordovician-aged dolomites and St. Peter Sandstone. An aquifer system consisting of sand and gravel, limestone and sandstone is the supplier of private and municipal drinking water within a four-mile radius of the site. According to ISWS well logs, the depths of the private wells vary greatly as some are as shallow as 11 feet (in sand and gravel) and some are as deep as 285 feet (in sandstone) and 423 feet (in limestone). The municipal wells of the region also vary greatly in depths and aquifers utilized. The four municipal wells of LaSalle are a little over onehalf mile to the east of the site. They are finished in the alluvial deposits of the Illinois River and are from 60-70 feet deep. Approximately one and one-half miles west of the site are Peru's three municipal wells. These wells are finished in St. Peter Sandstone at depths ranging from 2,591 to 2,764 feet deep. Peru's water supply is most likely not in danger from contaminants from the Old LaSalle Dump because overlying the St. Peter Sandstone is a confining layer of Maquoketa Shale approximately 180 feet thick. The aquifer system of primary concern is the one consisting of sand and gravel, limestone and sandstone in which LaSalle's municipal wells and many private wells are finished.

There are approximately 32,000 people using groundwater within a four-mile radius of the Old LaSalle Dump. The approximate population that uses groundwater derived from the aquifers in the area around the site is:

| Distance (miles) | <u>Population</u> |
|------------------|-------------------|
| 0 to 1/4 | 0 |
| >1/4 to 1/2 | 0 |
| >1/2 to 1 | 10,347 |
| >1 to 2 | 11,326 |
| >2 to 3 | 9,658 |
| >3 to 4 | 1,038 |

Based upon the local geology and the observed existence of contaminants in the soil it is probable that groundwater has been contaminated. Despite this, the drinking water supply is currently not thought to be in danger due to the fact that groundwater that has been contaminated by the site most likely flows into Huse Lake, which surrounds the site on three sides. Because of this anticipated movement of groundwater, the movement of contaminated groundwater into surface water is of concern.

5.3 SURFACE WATER PATHWAY

No surface water samples were collected during the May 6, 1992 Screening Site Inspection of the Old LaSalle Dump site. However, sediment samples were collected from the periphery of Huse Lake during the Screening Site Inspection and they indicate an observed release to the surface water pathway by contaminants that are attributable to the site (see Table 3-3). Analytically significant levels of semi-volatiles, pesticides (including PCB's) and inorganics were detected in these sediment samples.

The site is located within the annual floodplain of the Illinois River in an area of wetlands and is surrounded on its north, west and south sides by Huse Lake, a backwater lake of the Illinois River. Drainage from the site enters Huse Lake and flows west for half a mile and enters the Illinois River, where it then flows west. There is also the potential for groundwater contaminated by contaminants from the site to enter the surface water.

Numerous environmental targets exist along the 15-mile surface water target distance route. There are approximately 27 miles of total wetland frontage along the 15-mile surface water route from the site, with the nearest wetland being Huse Lake. Both Huse Lake and the Illinois River are used for fishing and other recreational purposes. Illinois Department of Conservation records indicate that several sensitive environments exist along the 15-mile surface water pathway. Located in Bureau County, approximately 13 miles from the site, is the Spring Lake Heron colony. This colony

is believed to be the oldest continually-occupied heronry in Illinois and also is a nesting site for the state endangered Great Egret. Additionally, two state wildlife refuges, the 1700-acre Lake DePue Fish and Wildlife Area and the 664-acre Donnelly Wildlife Management Area, exist along the 15-mile surface water route. IEPA records do not document the existence of any surface water drinking intakes along the 15-mile surface water route downstream of the site.

Based upon the observed release of analytically significant amounts of contaminants to surface water, the potential for contaminated groundwater to enter surface water, the proximity of wetlands, and the existence of sensitive environments and fisheries along the 15-mile surface water route, the potential impact of this site on nearby surface waters is of great concern.

5.4 AIR PATHWAY

No documented releases to the air were observed in the breathing zone during the CERCLA Screening Site Inspection. A photo-ionization detector (HNU) with an 11.7 eV lamp was used to determine the presence of certain air-borne contaminants. No readings were observed over background levels. The potential for windblown particulates to carry contaminants off-site is possible since contaminants were found in the top six inches of soil on-site. Although the site contains a poor cover of clean fill, it is fairly well

vegetated with trees and grasses, thus reducing the potential for release to the air. Approximately 32,000 people live within a four-mile radius of the site. The approximate population living within a four-mile radius of the site is:

| <u>Distance (miles)</u> | <u>Population</u> |
|-------------------------|-------------------|
| on-site | 0 |
| 0 to 1/4 | 0 |
| >1/4 to 1/2 | 525 |
| >1/2 to 1 | 5,393 |
| >1 to 2 | 17,973 |
| >2 to 3 | 7,296 |
| >3 to 4 | 769 |

5.5 SOIL EXPOSURE

Soil samples taken during the Screening Site Inspection indicate an observed release to the soil exposure pathway by contaminants that are attributable to the site. Significant concentrations of volatiles, semi-volatiles, pesticides and inorganics were detected in several soil samples (see Table 3-3).

A metal gate at the entrance to the dump is the only restriction to the site. The rest of the site is not fenced in and thus is accessible to people on foot. During the site reconnaissance, people were seen fishing in Huse Lake from the shores of the site and searching for mushrooms on the

site. In addition to this, remains of several campfires and numerous recently discarded pop and beer cans were observed.

No residences, schools, or day care facilities exist within 200 feet of the site. A review of USGS topographic maps, reconnaissance visit, and U.S. Census data indicate that approximately 5,900 people live within a one-mile radius of the site. This estimate is based on the population of the cities of Peru and LaSalle and unincorporated areas and average person-per household of LaSalle county.

Based upon the fact that significant levels of contaminants were detected in the soil and that people are regularly onsite, contaminants within the upper two feet of the soil is of concern.

6. BIBLIOGRAPHY


- Illinois Environmental Protection Agency, 1989, Site Preliminary Assessment for Old LaSalle Dump, ILD 984774950, prepared by Karen Petefish, Springfield, Illinois.
- Illinois Department of Conservation, August 6, 1992.

 Letter from Mr. Richard Lutz to the Illinois

 Environmental Protection Agency concerning sensitive environments near the Old LaSalle Dump.
- Illinois Department of Energy and Natural Resources, State Water Survey, water well records of wells in LaSalle County, Sections 2, 3, 6, 9, 11, 13, 18, 22, 26, 29 and 34, T33N, RIE; Sections 32 and 35, T34N, RIE.
- Illinois Department of Transportation. Order for aerial photographs of the Old LaSalle Dump.
- United States Department of the Interior, National Wetlands Inventory maps for LaSalle, Spring Valley and DePue, IL. Quadrangles, 7.5 Minute Series.
- U.S. Census Bureau, 1990, Average persons per household in LaSalle County, Illinois.
- USGS, 1966, Ladd, IL. Quadrangle, 7.5 Minute Series.
- USGS, 1979, LaSalle, IL. Quadrangle, 7.5 Minute Series.
- USGS, 1979, Spring Valley, IL. Quadrangle, 7.5. Minute Series.
- USGS, 1979, Troy Grove, IL. Quadrangle, 7.5 Minute Series.


APPENDIX A

SITE 4-MILE RADIUS MAP



APPENDIX B

SURFACE WATER ROUTE MAP





Site Inspection Report

APPENDIX C

U.S. EPA FORM 2070-13

| | رصي | ١. |
|---|-----|----|
| 3 | _ | Δ. |
| | | 7 |

POTENTIAL HAZARDOUS WASTE SITE

| I. IDENT | IFICATION |
|----------|------------------------------|
| 01 STATE | 02 SITE NUMBER |
| IL | 02 SITE NUMBER 0984774950 |

| | SI ART 1 - SITE LO | TE INSPECTI CATION AND I | | • | ATION IL L | 1984774950 |
|---|-----------------------|--|-----------------|---------------------------------------|----------------------------|---------------------------------------|
| II. SITE NAME AND LOCATION | | | | | | |
| O1 SITE NAME (Legal, common, or descriptive name of an | 4) | To | 2 STREET | , ROUTE NO., OR SP | ECIFIC LOCATION IDENTIFIER | |
| Old La Salle D | umo | | ع لدا | T of ro | ute 351 | |
| оз спу | | 1 | | 05 ZIP CODE | | 07COUNTY 08 CONG CODE DIST |
| south of city of La | Salle | | IL | | 645411e | 099 14 |
| 09 COORDINATES 41 1920.0 0890. | יוסון | YPE OF OWNERSHIP A. PRIVATE F. OTHER | | | ☐ C. STATE ☐ D. COUNTY | |
| III. INSPECTION INFORMATION | | | | | | |
| 01 DATE OF INSPECTION 02 SITE S | | YEARS OF OPERATION | NC MC | 12 1966 | | |
| | CTIVE IACTIVE | | /L NING YEAR | | | · |
| 04 AGENCY PERFORMING INSPECTION (Check as | that appry) | | | | | |
| Ø A. EPA ☐ B. EPA CONTRACTOR _ | (Name o | t (um) | C. MU | NICIPAL 🗆 D. M | IUNICIPAL CONTRACTOR | (Name of firm) |
| ☑ E. STATE ☐ F. STATE CONTRACTOR | | | □ G. OT | HER | (Specity) | |
| 05 CHIEF INSPECTOR | | 6 TITLE | | | 07 ORGANIZATION | 08 TELEPHONE NO. |
| Alan Kirwan | | EPS | | | IEAA | 13091693-5462 |
| A Lan Kirwan | 1 | O TITLE | | | 11 ORGANIZATION | 12 TELEPHONE NO. |
| Ken Corkill | | EPS | J. | · | IEPIA | 1171782-6760 |
| Judy Triller | | EPS | | · · · · · · · · · · · · · · · · · · · | FEPA | 1217 1782-6760 |
| Shella Murphy | | EPS | | · . | TEPA | D171782-6760 |
| Kristin Boster | | EVS | • | | FERA | 1217 1782-6760 |
| | | | - | · . | | () |
| 13 SITE REPRESENTATIVES INTERVIEWED | 1 | 4 TITLE | Ti | 5ADDRESS . | | 16 TELEPHONE NO |
| Mr. John Duncan | | part owner | | 654 Firs | TST. 4th Floor | 18/51223- |
| | ٠ ا | · · | | | | () |
| . 4 | | | | | · | () |
| | | | | | | () |
| · | | | | | | () |
| | | | | | | ·() |
| | | | | | | |
| 17 ACCESS GAINED BY (Check one) PERMISSION WARRANT 7.30 A | — 4:30P | OND PEATHER COND | | 10°F | | |
| IV. INFORMATION AVAILABLE FROM | , , , , , | JUNAY | (e) | | | · · · · · · · · · · · · · · · · · · · |
| 01 CONTACT | 10 | 02 OF (Agency/Organs | teton) | | | 03 TELEPHONE NO. |
| Tom Crause | | IEPA | | | | (217)782-6760 |
| 04 PERSON RESPONSIBLE FOR SITE INSPECTI | ON FORM | 05 AGENCY | 06 ORG | GANIZATION | 07 TELEPHONE NO. | 08 DATE |
| AL Kirman | | TEPA | Pra- | Remedial | 309/693-5462 | 5 ,26, FA |

| \Box | |
|--------|--|
| V | |

POTENTIAL HAZARDOUS WASTE SITE

| I. IDENTIFICATION |
|-------------------------|
| 01 STATE 02 SITE NUMBER |
| IL (IL) 0984774950 |

| SOL SOLVENTS UNKA OUEN DUNKA OUEN | 01 STATE 02 SITE NUMBER 12 ZL) 098477495 |
|--|--|
| PHYSICAL STATES (Check as how every 22 WASTE QUANTITY AT SITE 33 WASTE CHARACTERISTICS (Check as that abort) (Massures or state) chariters (Massure | |
| NASTE TYPE | ☐ I. HIGHLY VOLATILE US ☐ J. EXPLOSIVE BLE ☐ K. REACTIVE |
| SUU SLUDGE OLW OLY WASTE P C B'S UN KNOWN - USE & SACRIMENTS SOL SOLVENTS UN KNOWN - USE & SACRIMENTS PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS V. HAZARDOUS SUBSTANCES IS ADDRINGS TO THAT INTOVENTY CITED CAS NUMBER OA STORAGE/DISPOSAL METHOD O2 SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O5 TEEDSTOCKS V. FEEDSTOCKS (See Addrings for CAS Numbers) V. FEEDSTOCKS (See Addrings for CAS Numbers) O5 CATEGORY O1 FEEDSTOCK NAME O2 CAS NUMBER CATEGORY O1 FEEDSTOCK FDS | |
| SLU SLUDGE OLW OILY WASTE P C B'S WA KADMA - USEL ENDAGE SOL SOLVENTS UNKA DEMA - USEL ENDAGE PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS ICATEGORY 02 SUBSTANCES (1500 ADDRAIG TO MOBE PRODURING CITED CAS Numbers) ICATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 05 ICATEGORY 05 SUBSTANCE NAME 05 CAS NUMBER 05 STORAGE/DISPOSAL METHOD 05 ICATEGORY 05 FEEDSTOCK NAME 05 CAS NUMBER CATEGORY 05 FEEDSTOCK FDS FDS FDS | |
| OLW OILY WASTE P C B'S ON KNOWN — USE & CAGGET SOL SOLVENTS SOL SOLVENTS PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS I CATEGORY O2 SUBSTANCES (See Appendix for most irrecurrent cred CAS Numbers) I CATEGORY O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O1 I CATEGORY O1 FEEDSTOCKS (See Appendix for CAS Numbers) CATEGORY O1 FEEDSTOCK NAME O2 CAS NUMBER CATEGORY O1 FEEDSTOCK | |
| SOL SOLVENTS PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS OC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS I CATEGORY O 2 SUBSTANCES (See Appendix for CAS Numbers) I CATEGORY O 5 SUBSTANCE NAME O 6 STORAGE/DISPOSAL METHOD O 7 STORAGE/DISPOSAL METHOD O 8 STORAGE/DISPOSAL METHOD O 9 SUBSTANCE NAME O 9 CAS NUMBER I CATEGORY O 1 FEEDSTOCKS (See Appendix for CAS Numbers) CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK NAME O 2 CAS NUMBER CATEGORY O 1 FEEDSTOCK | |
| PSD PESTICIDES OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD AGIDS BAS BASES MES HEAVY METALS /* HAZARDOUS SUBSTANCES (See Address for most irrequently creat CAS Numbers) CATEGORY O2 SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O; OTHER ORGANIC CHEMICALS ACD AGIDS BAS BASES MES HEAVY METALS /* HAZARDOUS SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O; OTHER ORGANIC CHEMICALS /* TARGORY O2 SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O; OTHER ORGANIC CHEMICALS /* TARGORY O4 STORAGE/DISPOSAL METHOD O; OTHER ORGANIC CHEMICALS OTHER O | tors/transformers, spa |
| OCC OTHER ORGANIC CHEMICALS IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS I. HAZARDOUS SUBSTANCES (See Appendix for most frequently cred CAS Numbers) CATEGORY O2 SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O: ON CATEGORY O2 SUBSTANCE NAME O3 CAS NUMBER O4 STORAGE/DISPOSAL METHOD O: ON CATEGORY O4 STORAGE/DISPOSAL METHOD O5 OF CASE OF CA | Te for years |
| IOC INORGANIC CHEMICALS ACD ACIDS BAS BASES MES HEAVY METALS I HAZARDOUS SUBSTANCES (See Appendix for most frequentive creed CAS Numbers) CATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 0: | |
| ACD ACIDS BAS BASES MES HEAVY METALS // HAZARDOUS SUBSTANCES (See Appendix for maxi firequently cried CAS Numbers) I CATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 05 07 08 09 09 09 09 09 09 09 09 09 | |
| BAS BASES MES HEAVY METALS / | |
| MES HEAVY METALS / | |
| A HAZARDOUS SUBSTANCES (See Appendix for CAS Numbers) 1 CATEGORY 2 CAS NUMBER 1 CATEGORY 2 CAS Numbers 2 CATEGORY 2 CATEGORY 2 CAS NUMBER 3 CATEGORY 3 CATEGORY 4 CATEGORY 4 CATEGORY 5 CATEGORY 6 CATEGORY 7 OT FEEDSTOCK 5 CATEGORY 7 OT FEEDSTOCK | |
| CATEGORY 02 SUBSTANCE NAME 03 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 03 CATEGORY 04 STORAGE/DISPOSAL METHOD 05 CATEGORY 05 SUBSTANCE NAME 05 CAS NUMBER 04 STORAGE/DISPOSAL METHOD 05 CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| 7. FEEDSTOCKS (See Abpendix for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | OS MEASURE |
| /. FEEDSTOCKS (See Appendix for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS FDS | 05 CONCENTRATION OS MEASURE CONCENTRAT |
| T. FEEDSTOCKS (See Appendix for CAS Mumbers) CATEGORY O1 FEEDSTOCK NAME O2 CAS NUMBER CATEGORY O1 FEEDSTOCK FDS FDS | |
| FEEDSTOCKS (See Abpendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| FEEDSTOCKS (See Abpendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| T. FEEDSTOCKS (See Appendix for CAS Mumbers) CATEGORY O1 FEEDSTOCK NAME O2 CAS NUMBER CATEGORY O1 FEEDSTOCK FDS FDS | |
| 7. FEEDSTOCKS (See Appendix for CAS Mumbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS FDS | |
| 7. FEEDSTOCKS (See Appendix for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS FDS | |
| /. FEEDSTOCKS (See Adjunctiz for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS FDS | |
| /. FEEDSTOCKS (See Adjunctiz for CAS Numbers) CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| CATEGORY 01 FEEDSTOCK NAME 02 CAS NUMBER CATEGORY 01 FEEDSTOCK FDS FDS | |
| FDS FDS | |
| FDS FDS | K NAME 02 CAS NUME |
| | |
| FDS I FDS | |
| FDS FDS | |
| FDS FDS | |
| | |
| I. SOURCES OF INFORMATION (Cité specific reterences, e.g., state tiles, sample energies, reported IEPA DIVISION OF Land Preliminary ASSESSMENT | |

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

FL 0984774956

| IL HAZARDOUS CONDITIONS AND INCIDENTS | | | |
|---|---|-------------------|-----------|
| 01 % A. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: Un Known | 02 C OBSERVED (DATE:04 NARRATIVE DESCRIPTION |) S POTENTIAL | ☐ ALLEGED |
| | | · | |
| | | • | ÷ |
| 01 & B. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: CA KILOWA | | | ALLEGED |
| During Site Inspection sampling ever | nt, discarded capacitors we | re observed at | rite at |
| edge of Huse Lake. Site is in annual | floodplain of Illinois Airer, | | |
| 01 St C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED: WALKER COMMANDE | 02 OBSERVED (DATE: |) S POTENTIAL | ☐ ALLEGED |
| Site is poorly covered, gases ma | y be present beneath cover | | |
| | | | |
| 01 % D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED: | 02 C OBSERVED (DATE: | _) SE POTENTIAL | ☐ ALLEGED |
| When site was active, trash was | occassionally set abloze. Ty | lass of waste pre | sent are |
| not completely known. Explosive rece | tions are a possibility. | yras an ar f | . |
| 01 & E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED: LIA KIE SLAG | 02 □ OBSERVED (DATE: 5-6-92) 04 NARRATIVE DESCRIPTION | _) □ POTENTIAL | ☑ ALLEGED |
| Site is not forced, public access r | -eletively eary. Site Inspec | ction personnel = | bserved |
| several discarded capacitors at su fishing in the area of du exposed | rface of site mear compfin | re areas. People | observed |
| 01 % F. CONTAMINATION OF SOIL | 02 G OBSERVED (DATE: | _) = POTENTIAL | 3 ALLEGED |
| Site used as open dump for house | | for decades. | |
| | · | | |
| 01 % G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: | 02 C OBSERVED (DATE: 04 NARRATIVE DESCRIPTION | _) & POTENTIAL | C ALLEGED |
| Groundwater is very shappy, proba | bly intermixes with Huse Lake | e. The site was | a dump |
| that was apparently energy original Closest surface mater intake is >1. | hy, site was pushed into wet | and/Huse Laike. | · · |
| 01 H. WORKER EXPOSURE/INJURY 03 WORKERS POTENTIALLY AFFECTED: | 02 OBSERVED (DATE: | _) POTENTIAL | ALLEGED |
| 03 WORKERS POTENTIALLY AFFECTED. | U4 NARRATIVE DESCRIPTION | · | •. |
| hone documented a | or observed | | |
| 01 ☐ I. POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED: | 02 ☐ OBSERVED (DATE:04 NARRATIVE DESCRIPTION | _) ☐ POTENTIAL | ☐ ALLEGED |
| none documente | d or observed | | |
| | | | |

ŞEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION

01 STATE 02 SITE MANBER

TL 098477495 8

| II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued) | | |
|--|----------------------------------|---------------------------|
| 01 🖫 J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION | 02 🗆 OBSERVED (DATE: | .) 🗆 POTENTIAL 🔯 ALLEGED |
| when site began operating ~1915, upon | the cree was wetland (Husa i | -ake) that was introded |
| 01.☐ K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (Include name(s) of species) | 02 G OBSERVED (DATE: | .) E POTENTIAL I ALLEGED |
| none documented | or observed | |
| 01 X L. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION | 02 G OBSERVED (DATE: | _) SE POTENTIAL ☐ ALLEGED |
| Potential contamination Huse Lake | of fish from release o | f contaminants into |
| 01 & M. UNSTABLE CONTAINMENT OF WASTES South Purporth Standard Industrial Control of Co | 02 C OBSERVED (DATE: | .) _ POTENTIAL & ALLEGED |
| The site was never adequately liv | | T releases |
| 01 🕱 N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION | 02 🗆 OBSERVED (DATE: | _) 冯 POTENTIAL □ ALLEGED |
| Potential for release off | ?-site via froeding | |
| 01 _ O. CONTAMINATION OF SEWERS. STORM DRAINS, WW 04 NARRATIVE DESCRIPTION | TPs 02 C OBSERVED (DATE: | _) _ POTENTIAL _ ALLEGED |
| hone doc | amented or observed | |
| | \$ 10 miles | |
| 01 C P ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION | 02 C OBSERVED (DATE: | • |
| Site operated as a open dump La Salle | via authorization of origi | ngd owner and city of |
| 05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR A | LLEGED HAZARDS | |
| | | |
| | | |
| III. TOTAL POPULATION POTENTIALLY AFFECTED: | | |
| IV. COMMENTS | | |
| | | |
| | | |
| V. SOURCES OF INFORMATION (Cite specific references, e.g., state | lites, sample analysis, reportsi | |
| 5/6/92 Site Inspection sampling e | vent by IEPA personnel | |
| Telephone conversation with John ! | • | |
| IEPA Preliminary Assessment by Ka | ven Peterish of Old LaSelle | Dump September 1989 |

| \$EPA | POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION PART 4-PERMIT AND DESCRIPTIVE INFORMATION | | | | | I. IDENTIFICATION 01 STATE 02 SITE NUMBER TL 0989774955 | |
|---|--|--|----------------|---------------------------------------|---------------------------------------|---|--|
| I. PERMIT INFORMATION | | | | | | | |
| TYPE OF PERMIT ISSUED | 02 PERMIT NUMBER | 03 DATE | SSUED | 04 EXPIRATION DATE | 05 COMMENTS | | |
| A. NPDES |] | • | | | | | |
| I B. UIC | | 1. | | | · · | | |
| I C. AIR | | 1 | | · · · · · · · · · · · · · · · · · · · | | | |
| C.D. RCRA | | | | | · · · · · · · · · · · · · · · · · · · | | |
| Z.E. RCRA INTERIM STATUS | | X — | | | 1. | | |
| I F. SPCC PLAN | - 1 | - | | | | | |
| G. STATE (Specify) | 11 | | | | | | |
| TH. LOCAL Specify | | | | | | ······································ | |
| I. OTHER (Specify) | | | | | | <u> </u> | |
| | | | | | | | |
| J. NONE | | | | | | | |
| I. SITE DESCRIPTION 1 STORAGE/DISPOSAL (Check at that apply) | 02.AMOUNT 03 UNIT (| OF MEASURE | OA TRI | EATMENT (Check all that | | 05 OTHER | |
| | | or measone | | • | | JOS GALLA | |
| ☐ A. SURFACE IMPOUNDMENT ☐ B. PILES | | | | NCENERATION | | A. BUILDINGS ON SITE | |
| C. DRUMS, ABOVE GROUND | | | 1 | JNDERGROUND IN. CHEMICAL/PHYSIC | | hone | |
| D. TANK, ABOVE GROUND | | | l _ | BIOLOGICAL | AL | , , , , , , , , , , , , , , , , , , , | |
| _ E. TANK, BELOW GROUND | | • | 1. | WASTE OIL PROCES | SSING | 06 AREA OF SITE | |
| X F. LANDFILL | | | 1 | SOLVENT RECOVER | | | |
| ☐ G. LANDFARM | | | □ G, | OTHER RECYCLING | VRECOVERY | ~ 6 (Acr | |
| S H. OPEN DUMP | ~ 6 acres | ······································ | □ H. | OTHER |)ecily) | | |
| C I. OTHER | . | | 1 | ; | ACLIYY | | |
| 7 COMMENTS | | • | <u> </u> | | | | |
| | | | | | | · . | |
| • | | | | | | | |
| | | | | | | | |
| | | ÷ 17 | | | | | |
| \hat{I}_{i} . \hat{I}_{i} | | | | | 4 | | |
| V. CONTAINMENT | | | | | · | · | |
| 1 CONTAINMENT OF WASTES (Check one) | <i>i</i> | | | | | | |
| A ADEQUATE, SECURE | ☐ B. MODERATE | . 🗆 C. I | NADEQL | JATE, POOR | SE D. INSECT | URE, UNSOUND, DANGEROUS | |
| 2 DESCRIPTION OF DRUMS, DIKING, LINERS | S. BARRIERS, ETC. | | | | | <u> </u> | |
| A | | | . . | : | 6 | e a disma e lace | |
| Apparently, no ba | 26 liver mas er | ner pre | e em | when sile | began as | · 4 asmp ~1713. | |
| When site closed, | enybody was a | ll owed | 40 6 | oring fill mi | steried in | to act as a cover. | |
| | | | | - | • | | |
| | | | | | | · · | |
| V. ACCESSIBILITY | | | | | | | |
| 01 WASTE EASILY ACCESSIBLE: | ES NO | | | | | | |
| | | | | | | | |
| | st at surface in | form of | dr | ums, debri | s, and di | scarded copacitors | |
| | | | dr | ums, debri | s, and di | scanded espacitors | |

IEPA Files / Site Reconassance

| | ŧ |
|--|---|

POTENTIAL HAZARDOUS WASTE SITE

| I. IDENT | TRICATION |
|----------|-----------------------------------|
| 01 STATE | 02 SITE NUMBER |
| I IL | 02 SITE NUMBER D 9 74 77 4 950 |

| SEPA | SITE INSPECTION REPORT PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA | | | | | JL. | 09 74 77 4 950 |
|---|--|---------------------------------------|------------------------|----------------------------------|---------------------------------------|---------|--------------------------|
| II. DRINKING WATER SUPPLY | • | | | | | _ | |
| 01 TYPE OF DRINKING SUPPLY | | 02 STATUS | * | | | 03 | DISTANCE TO SITE |
| SURFACE | WELL | ENDANGERE | D AFFE | CTED N | AONITORED | | |
| COMMUNITY A. 🗆 | 8. 50 | A. 🗆 | 8. | | ° c . □ | A. | <u>⊅. √</u> (mi) |
| NON-COMMUNITY C. | D. 🔂 | D. 🗆 | Ε. | 0 | F. 🗆 | В. | (mi) |
| III. GROUNDWATER | | | | | | | |
| 01 GROUNDWATER USE IN VICINITY (Check | one) | | | | | | |
| 蟹 A. ONLY SOURCE FOR DRINKING | B. DRINKING (Other sources events) COMMERCIAL, INI (No other water source) | DUSTRIAL, IRRIGATIO | (L) | OMMERCIAL, nited other source | INDUSTRIAL, IRRIGAT | TION (| 🗆 D. NOT USED, UNUSEABLE |
| 02 POPULATION SERVED BY GROUND WA | TER ~ 3 | - | 03 DISTANC | E TO NEARES | T DRINKING WATER | WELL | <u> </u> |
| 04 DEPTH TO GROUNDWATER | 05 DIRECTION OF GRO | WOJER FLOW | OB DEPTH TO OF CONC | | 07 POTENTIAL YIEL OF AQUIFER | 9 | 08 SOLE SOURCE AQUIFER |
| < 16 (m) | south, | rest | 410 | | unKapun | (gpd) | ☐ YES ☐ NO |
| 09 DESCRIPTION OF WELLS (including useage | , depth, and location relative to (| Copulation and buildings) | _ | | | | <u> </u> |
| Lasalles Ydrinking | wells are } | mile east | -of the | sites & | serve 10,3 | PP | eople & |
| 10 10-70 | ft Dogg. | | | | | • | • |
| fern's 3 modrinking | , wells are 1- | 1 miles we 2591-27 | 3 tot th | uzite Leep | , serve 10, | 886 | suppled |
| 10 RECHARGE AREA | | | 11 DISCHAR | GE AREA | | | |
| ☐ YES COMMENTS | | | ☐ YES | COMMENT | rs | | |
| □ NO | | | □ NO | | | | |
| IV. SURFACE WATER | | | | | | | |
| 01 SURFACE WATER USE (Check one) | • | | | | | | |
| ☐ A. RESERVOIR, RECREATION DRINKING WATER SOURCE | | N. ECONOMICALLY IT RESOURCES | ′ □ c . 0 | COMMERCIA | AL, INDUSTRIAL | а | D. NOT CURRENTLY USED |
| 02 AFFECTED/POTENTIALLY AFFECTED B | ODIES OF WATER | | | | · · · · · · · · · · · · · · · · · · · | | |
| NAME: | | | | | AFFECTED | ì | DISTANCE TO SITE |
| Huse Lake | | | | | 1971 | | (mi) |
| Illinois River | | · · · · · · · · · · · · · · · · · · · | | | | _ | 1 (mi) |
| | | | | | | _ | (mi) |
| V. DEMOGRAPHIC AND PROPERT | Y INFORMATION | | | | | | |
| 01 TOTAL POPULATION WITHIN | | | | 02 | DISTANCE TO NEAR | EST POP | ULATION |
| ONE (1) MILE OF SITE TO | WO (2) MILES OF SITE | | 3) MILES OF | SITE | • | ~ = | |
| NO. OF PERSONS | NO. OF PERSONS | | O OF PERSONS | - | - | | (mi) |
| 03 NUMBER OF BUILDINGS WITHIN TWO (2 |) MILES OF SITE | | 04 DISTANC | E TO NEARES | ST OFF-SITE BUILDING | 3 | · |
| <u> </u> | | | .] | • | | · | (mi) |
| 05 POPULATION WITHIN VICINITY OF SITE | (Provide nerrative description of | nature of population within | vicinity of site. e. | z., rurat, village, i | densely populated when a | | ····, |
| The city of a | Lasalle is | located- | -1 m | ile to | the nor | th | of |
| the site. The | . city of 1 | Pern isloc | atel ji | nst u | iest of L | الما | lle, |
| La Salle has apop | inlation of | 10,347 mh; | le le | rn ho | is a pop | nlah | io~ |
| ot 10,886 | | ٠ | | | · | | |

| \$EPA | POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 9 - GENERATOR/TRANSPORTER INFORMATION 1. IDENTIFICATION 01 STATE 02 SITE NUMBER T | | | SITE NUMBER | |
|---|---|-------------------------------------|---|--------------|---------------|
| II. ON-SITE GENERATOR | | | | ٠. | |
| OT NAME N A | | 02:D+8 NUMBER | | | |
| O3 STREET ADDRESS (P.O. Boz, RFD #, etc.) | | 04 SIC CODE | | | |
| 05 CITY | 06 STATE | 07 ZIP CODE | | | |
| III. OFF-SITE GENERATOR(S) | ! | | | | |
| 01 NAME | · | 02 D+8 NUMBER | 01 NAME | | 02 D+8 NUMBER |
| City of LaSgile O3 STREET ADDRESS (P.O. BOR, AFO O. OTC.) | , , | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD P. etc.) | ·· | 04 SIC CODE |
| os crry Lasalle | OB STATE | 07 ZIP CODE | 05 CITY | 06 STATE | 07 ZIP CODE |
| 01 NAME | <u> </u> | 02 D+8 NUMBER | 01 NAME | | 02 D+8 NUMBER |
| OBSTREET ADDRESS (P. O. BOX. RFD O. OIC.) | ant. | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD #, etc.) | | 04 SIC CODE |
| La Salle | JC. | 07 ZIP CODE | OS CITY | 06 STATE | 07 ZIP CODE |
| IV. TRANSPORTER(S) | 100 | 61701 | | | |
| OI NAME | | 02 D+8 NUMBER | 01 NAME | | 02 D+B NUMBER |
| 03 STREET ADDRESS (P.O. Box. RFD #, etc.) | | 04 SIC CODE | 03 STREET ADDRESS (P.O. Bos. AFD #, etc.) | | 04 SIC CODE |
| 05 CITY | 06 STATE | 07 ZIP CODE | 05 CITY | 08 STATE | 07 ZIP CODE |
| 01 NAME | <u> </u> | 02 D+8 NUMBER | 01 NAME | <u>I</u> | 02 D+8 NUMBER |
| 03 STREET ADDRESS (P.O. Box. RFD #. etc.) | | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD #. etc.) | | 04 SIC CODE |
| 05 CITY | 06 STATE | 07 ZIP CODE | OS CITY | 06 STATE | 07 ZIP CODE |
| V. SOURCES OF INFORMATION (Cite special | ic references. | e.g., state files, sample enervsis. | reports | <u>l·</u> | |
| IEPA Preliminary Ass. | e s Sjue | w of Old 1 | LaSalle Dump, September | 1489 | |
| | | | | _ | |
| | | | | | |
| EPA FORM 2070-13 (7-81) | | | | | · |

| ŞEPA | S | TIAL HAZARDOUS WASTE ITE INSPECTION REPORT 10 - PAST RESPONSE ACTIVI | * | 1. IDENTIFICATION 11 STATE 02 SITE NUMBER FL 01 84774 950 |
|--|--------------------|--|-----------|---|
| II. PAST RESPONSE ACTIVITIES | | 7 | | |
| 01 \(\text{A. WATER SUPPLY CLOSED} \) 04 DESCRIPTION | A | 02 DATE | | |
| 01 [] B. TEMPORARY WATER SUI 04 DESCRIPTION | 1 | 02 DATE | • | |
| 01 C. PERMANENT WATER SUF 04 DESCRIPTION | PLY PROVIDED | | | |
| 01 (D. SPILLED MATERIAL REMO 04 DESCRIPTION | OVED | 02 DATE | 03 AGENCY | |
| 01 () E. CONTAMINATED SOIL RE 04 DESCRIPTION | MOVED | 02 DATE | O3 AGENCY | |
| 01 G F. WASTE REPACKAGED 04 DESCRIPTION | | | 03 AGENCY | |
| 01 E G. WASTE DISPOSED ELSEY 04 DESCRIPTION | VHERE | 02 DATE | 03 AGENCY | |
| 01 & H. ON SITE BURIAL 04 DESCRIPTION An open duma 01 II IN SITU CHEMICAL TREAT | for decades | | | |
| 01 🗆 I. IN SITU CHEMICAL TRÉATI 04 DESCRIPTION | MENT NA | 02 DATE | 03 AGENCY | |
| 01 🗆 J. IN SITU BIOLOGICAL TREA 04 DESCRIPTION | ATMENT | 02 DATE | | |
| 01 (2 K. IN SITU PHYSICAL TREAT 04 DESCRIPTION | MENT | 02 DATE | O3 AGENCY | |
| 01 C L ENCAPSULATION 04 DESCRIPTION | | 02 DATE | 03 AGENCY | |
| 01 (I) M. EMERGENCY WASTE TRI 04 DESCRIPTION | EATMENT | 02 DATE | | |
| 01 □ N. CUTOFF WALLS 04 DESCRIPTION | | 02 DATE | O3 AGENCY | |
| 01 © O. EMERGENCY DIKING/SUI 04 DESCRIPTION | RFACE WATER DIVERS | | | |
| 01 P. CUTOFF TRENCHES/SUN 04 DESCRIPTION | IP . | 02 DATE | O3 AGENCY | |
| 01 Q. SUBSURFACE CUTOFF \ 04 DESCRIPTION | VALL | 02 DATE | 03 AGENCY | |

| Ω. | |
|----|--|
| | |

POTENTIAL HAZARDOUS WASTE SITE

| I. IDEN | TIFICATION |
|---------|----------------|
| 1 STATE | 02 SITE NUMBER |
| IL | 0984774950 |

| 7 EPA | PART 10 - PAST RESPONSE ACTIVITIES | IL 0984774950 |
|--|---|---------------|
| PAST RESPONSE ACTIVITIES (Commund) | | |
| 01 P. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 & S. CAPPING/COVERING 04 DESCRIPTION | O2 DATE Cap is inc Cap is inc O2 DATE | os agency |
| 01 G T. BULK TANKAGE REPAIRED 04 DESCRIPTION | N/A O2 DATE | 03 AGENCY |
| 01 U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 □ V. BOTTOM SEALED 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 E W. GAS CONTROL | 02 DATE | 03 AGENCY |
| 04 DESCRIPTION | | |
| 01 □ X. FIRE CONTROL 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 DY LEACHATE TREATMENT 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 Z. AREA EVACUATED O4 DESCRIPTION | 02 DATE | 03 AGENCY |
| 01 ☐ 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION | 02 DATE | 03 AGENCY |
| O1 C 2. POPULATION RELOCATED 04 DESCRIPTION | OZ DATE | 03 AGENCY |
| 04 DESCRIPTION N/A 01 □ 3. OTHER REMEDIAL ACTIVITIES | 02 DATE | 03 AGENCY |
| 104 DESCRIPTION | | |
| | | |
| 1 | | |
| | | |
| SOURCES OF INFORMATION (Cite specific retere | nnes e.a. stale hise semple energie /annes | |
| - Contract of the Ottomation Comments | | |
| | | |



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

I. IDENTIFICATION

01 STATE 02 SITE NUMBER IL 0984774950

II. ENFORCEMENT INFORMATION

01 PAST REGULATORY/ENFORCEMENT ACTION @ YES X NO

02 DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

III. SOURCES OF INFORMATION (Cite assectic references, e.g., state files, sample analysis, records)

| 9 | EP | Д |
|---|----|---|
| | | |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 6 - SAMPI F AND FIFE D INFORMATION

| I. IDENTIFICATION | | | |
|-------------------|----------------------------------|--|--|
| 01 STATE | 02 SITE NUMBER 09 8 4 77445-0 | | |
| I-Z-L | 0984774950 | | |

| SAMPLES TAKEN SAMPLE TYPE GROUNDWATER SURFACE WATER WASTE AIR RUNOFF SPILL SOIL | O1 NUMBER OF SAMPLES TAKEN | IEPA labor | | | O3 ESTIMATE RESULTS | ED DATE AVAILAB |
|---|------------------------------|---------------------------------------|-------------------------|---------------------------------------|---------------------|-----------------|
| GROUNDWATER SURFACE WATER WASTE AIR RUNOFF SPILL | | IEPA labor | | | resident | |
| SURFACE WATER WASTE AIR RUNOFF SPILL | | IEPA labor | | | 1 | |
| WASTE AIR RUNOFF SPILL | | IEPA labor | | | | |
| AIR RUNOFF SPILL | | IEPA labor | | | | |
| RUNOFF | | IEPA labor | | | | |
| SPILL | | IEPA labor | | | | |
| | 10 | IEPA labor | | | | ····· |
| | 10 | IEPA labor | 1 | | | |
| 30iE | | - LI/1 1000 | . 1 | | | |
| | | l . | ratories. | | | |
| VEGETATION | | 24.11 | | | | |
| OTHER Sediment | | IEPA labor | ratories. | | | |
| FIELD MEASUREMENTS TAK | | | · | | | |
| TYPE | 02 COMMENTS | | | | | |
| 1 | | | | | | |
| | | | | | <u>·</u> | |
| | | | , | • | • | |
| | | · · · · · · · · · · · · · · · · · · · | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | |
| | · · | · · | • | • | • | |
| · | | | | | | |
| | | | <u> </u> | | · | |
| . PHOTOGRAPHS AND MAPS | | | | | | |
| 1 TYPE SKGROUND SKAERIAL | | 02 IN CUSTODY OF | IEPA | | | |
| MAPS 04 LOCATION | | · | (Name of organization o | r individual) | | |
| XYES ZFA | | · | _ · | | | |
| _ NO | | | | | | |
| OTHER FIELD DATA COLLEC | CTED (Provide narrative del | scrotioni | | | | |
| | | | • | | | |
| | | | | | ٠. | |
| | | | | | | |
| : | • | | • | • | | |
| • | | • | | | • | |
| | | | | | , | |
| | | | | | | |
| • | - | | • | | | |
| | | • | | - | | |
| | <u> </u> | | · | <u> </u> | | |
| I. SOURCES OF INFORMATIO | N (Cite specific references. | e.g., state Hes, sample analysis, red | contsi | | | |
| | | | | | | |
| ÷ . | | | • | | | • |
| • | | | • | • | | |
| | • | | | | • | |

I. IDENTIFICATION

| \$EPA | | TION REPORT C, AND ENVIRONMENTAL DATA | O1 STATE O2 SITE NUMBER TL 0484774 950 |
|---|---|--|---|
| VI. ENVIRONMENTAL INFORMA | | | |
| 01 PERMEABILITY OF UNSATURATED Z | ONE (Check one) | | |
| □ A. 10 ⁻⁶ - 10 ⁻ | -8 cm/sec ☐ B. 10-4 10-5 cm/sec ☐ | C. 10 ⁻⁴ - 10 ⁻³ cm/sec 5 D. GREATER | THAN 10 ⁻³ cm/sec |
| 02 PERMEABILITY OF BEDROCK (Check | one) | | |
| A. IMPERI | MEABLE B. RELATIVELY IMPERMEABL | | VERY PERMEABLE (Greater than 10 ⁻² crivsec) |
| 03 DEPTH TO BEDROCK | 04 DEPTH OF CONTAMINATED SOIL ZONE | 05 SOIL pH | |
| ~200 (m) | ~ / O (m) | | |
| 06 NET PRECIPITATION | 07 ONE YEAR 24 HOUR RAINFALL | 08 SLOPE DIRECTION OF SITE S | LOPE , TERRAIN AVERAGE SLOPE |
| 2.5 (in) | 2,5 (in) | ~a % southmest | <u>~a</u> % |
| 09 FLOOD POTENTIAL | 10 | | |
| SITE IS IN during YEAR FLO | OODPLAIN | ER ISLAND, COASTAL HIGH HAZARD AREA. | RIVERINE FLOODWAY |
| 11 DISTANCE TO WETLANDS 15 acre mine | TRANS | 12 DISTANCE TO CRITICAL HABITAT (or endangere | d 104Criss) |
| ESTUARINE | OTHER | | (mi) |
| A(mi) | B(mi) | ENDANGERED SPECIES: Gre | at Egret |
| 13 LAND.USE IN VICINITY | | | |
| DISTANCE TO: | | | - |
| COMMERCIAL/INDUSTR | RESIDENTIAL AREAS: NATION FORESTS, OR WILDLIF | | CULTURAL LANDS ID AG LAND |
| A(mi | B | (mi) c. <u></u> (| (mi) D(mi) |
| 14 DESCRIPTION OF SITE IN RELATION | TO SURROUNDING TOPOGRAPHY | | · · · · · · · · · · · · · · · · · · · |
| · | | | |
| | ♣ ∧ | | • |
| | | | |
| i i | | | |
| | | | |
| | | • . | |
| | | | • |
| | | • | • |
| İ | • | | |
| | | | • |

VII. SOURCES OF INFORMATION (Cite specific references, e.g., state free, sa

| \$EF | ? A |
|-------------|------------|
| I. CURRENT | OWN |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

TL 09847749

| | | PART 7 - OWI | | | |
|--|---------------------------------------|--|---|---------------|--------------|
| CURRENT OWNER(S) | | | PARENT COMPANY (If apparents) | | |
| NAME | | 02 D+8 NUMBER | OB NAME | 091 | NUMBER |
| Juncan Realty Land | Teur | <u></u> | | | |
| STREET ADDRESS (P.O. 86s. RFD F. 616.) | | 04 SIC CODE | 10 STREET ADDRESS (P.O. Bax, RFD #. etc | E.J | 11 SIC CODE |
| 654 First St. Casalle | | | | | |
| CITY | | 07 ZIP CODE | 12 CITY | 13 STATE 14 | ZIP CODE |
| La Salle | IL | 61301 | | 1 1 | |
| NAME . | | 02 D+8 NUMBER | OB NAME | 09 | D+8 NUMBER |
| | | | | | |
| STREET ADDRESS (P.O. Box. RFD 0, etc.) | | 04 SIC CODE | 10 STREET ADDRESS (P.O. Box. RFD #. etc | c.1 | 11 SIC CODE |
| в | | | | | ŀ |
| CITY | IOS STATI | 1 O7 ZIP CODE | 12 CITY | 13 STATE 14 | ZIR CODE |
| , | 1000, | 70, 2 3332 | 1.2 | 1031212 | |
| | | | | | |
| NAME | | 02 D+8 NUMBER | 08 NAME | 9 | D+8 NUMBER |
| | | <u> </u> | | | |
| STREET AOORESS (P.O. Box. RFD #, etc.) | | 04 SIC CODE | 10 STREET ADDRESS (P.O. Box. RFD #. et | re.) | 11 SIC CODE |
| η | | | <u> </u> | | 1 |
| CITY | 06 STAT | 07 ZIP CODE | 12 CITY | 13 STATE 14 | ZIP CODE |
| | | | · · | | |
| NAME | '1 | 02 D+8 NUMBER | OB NAME | 09 | D+8 NUMBER |
| / | | 1 | · | \ \frac{1}{2} | |
| 3 STREET ADDRESS (P.O. Box, RFD #, etc.) | | TO4 SIC CODE | 10 STREET ADDRESS (P.O. Box, RFD #, et | | 11 SIC CODE |
| CONTENT OF THE PROPERTY OF THE | | | | , | 110000 |
| | ION STAT | Elor ZIP CODE | 10.0774 | | |
| 5 CITY | 083121 | 1 ZIP CODE | 12 CITY | 13 STATE 14 | ZIP CODE |
| | <u> </u> | <u></u> | | | |
| II. PREVIOUS OWNER(S) (Las most rece | en hest) | | IV. REALTY OWNER(S) (# SODICEO | | ·-··· |
| 1 NAME | | 02 D+8 NUMBER | 01 NAME. | . 02 | D+B NUMBER |
| | | 1 | | · | |
| 3 STREET ADDRESS (P.O. Box. RFO P. etc.) | | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD #. | otc.) | 04 SIC CODE |
| | · · · · · · · · · · · · · · · · · · · | | <u> </u> | | |
| 5 CITY | OBSTAT | 07 ZIP CODE | 05 CITY | 06 STATE 0 | ZIP CODE |
| | | | | | <u>.</u> |
| 1 NAME | | 02 D+8 NUMBER | 01 NAME | 0 | D+8 NUMBER |
| . μ | | <u> </u> | · · | | • |
| 3 STREET ADDRESS (P O. Box. RFD . etc.) | | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD #. | erc.) | 04 SIC CODE |
| | | | | | |
| SCITY | 06 STAT | E 07 ZIP CODE | 05 CITY | 06 STATE 0 | ZIP CODE |
| | | | . | . [| |
| | | 02 D+8 NUMBER | 01 NAME | o | 2 D+B NUMBER |
| 1 NAME | | 1 | | | |
| NAME | | •. | | · | |
| . · | | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box, RFD #. e. | (c.) | 04 SIC CODE |
| 1 NAME 3 STREET ADDRESS (P.O. Box. AFD #. etc.) | | <u> 1</u> | 03 STREET ADDRESS (P.O. Box, AFD #. ex | (c.) | 04 SIC CODE |
| 3 STREET ADDRESS (P.O. Box. RFD #. etc.) | | 04 SIC CODE | | · | · |
| | 06 STAT | 04 SIC CODE | 03 STREET ADDRESS (P.O. Box. RFD P. & | 08 STATE O | |
| 3 STREET ADDRESS (P.O. Box, RFD #. etc.) | | 04 SIC CODE | 05 CITY | · | · |
| 3 STREET ADDRESS (P.O. 8oz. RFD #. etc.) | | 04 SIC CODE | 05 CITY | · | · |
| SCITY /. SOURCES OF INFORMATION (CA | te apecilic reference | 04 SIC CODE E 07 ZIP CODE e. e.g., state files, sample analy | 05 CITY | 08 STATE 0 | · |

| 9 | |
|---|---|
| | H |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - OPERATOR INFORMATION

| | TFICATION |
|----------|----------------------------|
| 01 STATE | 02 SITE NUMBER 09847749 |
| IIL | 098477490 |

| V | • | PART 8 - OPERA | TOR INFORMATION | 120-12 | 3787 //430 | |
|--|---|---------------------------------------|---|---|---------------|--|
| II. CURRENT OPERATOR (Provide & differen | Int from owner) | | OPERATOR'S PARENT COMPANY (If applicable) | | | |
| DI NAME | : | 02 D+8 NUMBER . | 10 NAME | | 11 D+8 NUMBER | |
| N/A | | • | | | | |
| 03 STREET ADORESS (P.d. Box. RFD *. etc.) | | 04 SIC CODE | 12 STREET ADDRESS (P.O. Box. RFD #, e) | rta.) | 13 SIC CODE | |
| | | | | , | | |
| DS CITY | I OB STAT | E 07 ZIP CODE | 14 CITY | I15 STATE | 16 ZIP CODE | |
| | | -072-005 | 174 | 10017 | 10 ZIP CODE | |
| | | | | <u></u> | | |
| DB YEARS OF OPERATION 09 NAME OF OWN | NER | | • • | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | <u> </u> | |
| III. PREVIOUS OPERATOR(S) (List most re- | PREVIOUS OPERATOR(S) (List most recent first; provide only if different from awner) | | | PREVIOUS OPERATORS' PARENT COMPANIES (# apprecable) | | |
| 01 NAME | 02 D+8 NUMBER | | 10 NAME 11 D+8 NUMBER | | | |
| RI /IA | | · | | | ļ · | |
| 03 STREET ADDRESS (P.O. Box. RFD #. orc.) | | 04 SIC CODE | 12 STREET ADDRESS (P.O. Box. AFD #. | AF 1 | 13 SIC CODE | |
| O STREET POURIEUS (PLOI SONICIO ST. STR.) | | | | nc., | | |
| | TOR STAT | E 07 ZIP CODE | 14 CITY | 16 STATE | The standard | |
| 05 CITY | | E OT ZIP CODE | 14 6117 | 13317.2 | 16 ZIP CODE | |
| | | | | | | |
| 08 YEARS OF OPERATION 09 NAME OF OWI | NER DURING TH | HIS PERIOD | | | | |
| | | | · | | | |
| 01 NAME | | 02 D+8 NUMBER | 10 NAME | | 11 D+8 NUMBER | |
| and the second second | | · · | | | | |
| 03 STREET ADDRESS (P.O. Bas. RFD #. etc.) | | 04 SIC CODE | 12 STREET ADDRESS (P.O. Box. RFD #. | Prc.) | 13 SIC CODE | |
| | • | | | | | |
| 05 CITY | 06 STAT | TE 07 ZIP CODE | 14 CITY | 15 STATE | E 18 ZIP CODE | |
| | [· . | | į | | 17 | |
| 08 YEARS OF OPERATION 09 NAME OF OW | WHEE DURING T | Tule DEBIOD | | | J | |
| DB YEARS OF OPERATION | MEN CONING . | nio renico | | | • | |
| | | | | | 1 | |
| 01 NAME | | 02 D+8 NUMBER | 10 NAME | | 11 D+8 NUMBER | |
| · | | <u></u> | | | <u> </u> | |
| 03 STREET ADDRESS (P.O. Box, RFD #, etc.) | | 04 SIC CODE | 12 STREET ADDRESS (P.O. Box, RFD # | etc.) | 13 SIC CODE | |
| · | | | | , | · | |
| 05 CITY | 08 STAT | TE 07 ZIP CODE | 14 CITY | 15 STAT | E 16 ZIP CODE | |
| | . | | | | | |
| 08 YEARS OF OPERATION 09 NAME OF OW | WNER DURING T | THIS PERIOD | | | | |
| de learne de contrate de la contrate | | | | | | |
| | | | | | | |
| IV. SOURCES OF INFORMATION (Cae | specific reference | e, e.g., state files, sample analys | rsis, reports) | · | · | |
| | | | | | • | |
| | | | | | | |
| | | | | | | |
| | | | • | | • | |
| | | * | | | | |
| | • | | | | | |
| | | | | | | |
| · I | | | · | | | |
| | | | | | | |
| | | | | | | |
| | | | | • | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| | | | • | | | |

APPENDIX D

TARGET COMPOUND LIST

TARGET COMPOUND LIST

Volatile Target Compounds

Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide. 1,1-Dichloroethene 1,1-Dichloroethane 1,2-Dichloroethene (total) Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane

1,2-Dichloropropane cis-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane trans-1,3-Dichloropropene Bromoform 4-Methyl-2-pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene Xylenes (total)

Base/Neutral Target Compounds

Hexachloroethane bis(2-Chloroethyl) Ether Benzyl Alcohol bis(2-Chloroisopropyl) Ether N-Nitroso-Di-n-Propylamine Nitrobenzene Hexachlorobutadiene 2-Methylnaphthalene 1,2,4-Trichlorobenzene Isophorone Naphthalene 4-Chloroaniline bis(2-chloroethoxy) Methane Hexachlorocyclopentadiene 2-Chloronaphthalene 2-Nitroaniline Acenaphthylene 3-Nitroaniline Acenaphthene Dibenzofuran Dimethyl Phthalate 2,6-Dinitrotoluene Fluorene 4-Nitroaniline 4-Chlorophenyl-phenylether

2,4-Dinitrotoluene Diethylphthalate N-Nitrosodiphenylamine Hexachlorobenzene Phenanthrene 4-Bromophenyl-phenylether Anthracene Di-n-Butylphthalate Fluoranthene Pyrane Butylbenzylphthalate bis (2-Ethylhexyl) Phthalate Chrysene Benzo(a) Anthracene 3,3'-Dichlorobenzidene Di-n-Octyl Phthalate Benzo(b) Fluoranthene Benzo(k) Fluoranthene Benzo(a) Pyrene Indeno(1,2,3-cd)Pyrene Dibenz(a,h)Anthracene Benzo(g,h,i) Perylene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene

Acid Target Compounds

Benzoic Acid
Phenol
2-Chlorophenol
2-Nitrophenol
2-Methylphenol
2,4-Dimethylphenol
4-Methylphenol
2,4-Dichlorophenol

2,4,6-Trichlorophenol
2,4,5-Trichlorophenol
4-Chloro-3-methylphenol
2,4-Dinitrophenol
2-Methyl-4,6-dinitrophenol
Pentachlorophenol
4-Nitrophenol

Pesticide/PCB Target Compounds

alpha-BHC
beta-BHC
delta-BHC
gamma-BHC (Lindane)
Heptachlor
Aldrin
Heptachlor epoxide
Endosulfan I
4,4'-DDE
Dieldrin
Endrin
4,4'-DDD
Endosulfan II
4,4'-DDD


Endrin Ketone
Endosulfan Sulfate
Methoxychlor
alpha-Chlorodane
gamma-Chlorodane
Toxaphene
Aroclor-1016
Aroclor-1221
Aroclor-1232
Aroclor-1242
Aroclor-1248
Aroclor-1254
Aroclor-1260

Inorganic Target Compounds

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium

Manganese
Mercury
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Cyanide
Sulfide
Sulfate

APPENDIX E IEPA SITE PHOTOGRAPHS



DATE: July 1, 1991


TIME: 9:30am

PHOTOGRAPHED BY: Hank Konzelmann

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northwest showing site at lower right hand corner

PHOTOGRAPH NUMBER: 1



DATE: July 1, 1991

TIME: 9:30am

PHOTOGRAPHED BY: Hank Konzelmann

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northwest showing site in lower right hand corner



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Alan Kirwan

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the west showing sample location X102

PHOTOGRAPH NUMBER: 3



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Alan Kirwan

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X102



TIME:


9:30am - 4:30pm

PHOTOGRAPHED BY: Alan Kirwan

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X103

PHOTOGRAPH NUMBER: 5



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Alan Kirwan

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the west showing sample location X103



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X104

PHOTOGRAPH NUMBER: 7



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the west showing sample location X104



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X105

PHOTOGRAPH NUMBER: 9



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump

ILD984774950

COMMENTS: Photograph taken toward the south showing sample location X105



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X106

PHOTOGRAPH NUMBER: 11



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X106



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump

ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X107

PHOTOGRAPH NUMBER: 13



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump

ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X107



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump

ILD984774950

COMMENTS: Photograph taken toward the northeast showing sample location X108

PHOTOGRAPH NUMBER: 15



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X108



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northeast showing sample location X109

PHOTOGRAPH NUMBER: 17



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northwest showing sample location X109



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X110

PHOTOGRAPH NUMBER: 19



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the west showing sample location X110



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X111

PHOTOGRAPH NUMBER: 21



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the southwest showing sample location X111



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Judy Triller

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X112

PHOTOGRAPH NUMBER: 23



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X113



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northwest showing sample location X114

.....

PHOTOGRAPH NUMBER: 25



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the northeast showing sample location X114



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X115

PHOTOGRAPH NUMBER: 27



DATE: May 6, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION:

0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the north showing sample location X101



TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Kristin Boster

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the east showing sample location X101

PHOTOGRAPH NUMBER: 29



DATE: May 5, 1992

TIME:

9:30am - 4:30pm

PHOTOGRAPHED BY: Alan Kirwan

LOCATION: 0990300001-LaSalle Old LaSalle Dump ILD984774950

COMMENTS: Photograph taken toward the south showing site at center of photo

